

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 1 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

Site Security Target Lite Akquinet Hamburg

Publication Summary

Reference Number (OMS-ID)	NXPOMS-1719007347-3816
Reference Title	Site Security Target Lite Akquinet Hamburg
Publisher	Business Unit Security & Connectivity
Classification	Company Public
Author	Christophe Bouly
Owner	Monique Franssen

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivit		Page 2 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

Revision History

Revision	Description	Author	Approval - Date
1.0	Released version	Christophe Bouly	05 October 2017

Approvers

Sequence	Role	Name
Acceptance	Security Manager	Christophe Bouly
Approval	Site security representative	Monique Franssen

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 3 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

This page was left free intentionally!

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 4 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

Table of Contents

1. Document Introduction	7
1.1 Reference	7
2. SST Introduction	8
2.1 SST Reference.....	8
2.2 Site Reference	8
2.3 Site Description	8
3. Conformance Claim	11
4. Security Problem Definition	12
4.1 Assets	12
4.2 Threats	12
4.3 Organizational Security Policies	13
4.4 Assumptions.....	13
5. Security Objectives	14
5.1 Security Objectives Rationale.....	16
6. Extended Assurance Components Definition.....	21
7. Security Assurance Requirements	22
7.1 Application Notes and Refinements	22
7.1.1 CM Capabilities (ALC_CMC.5).....	22
7.1.2 CM Scope (ALC_CMS.5).....	23
7.1.3 Development Security (ALC_DVS.2)	23
7.2 Security Requirements Rationale.....	24
7.2.1 Security Requirements Rationale - Dependencies	24
7.2.2 Security Requirements Rationale – Mapping.....	25
8. Site Summary Specification.....	30
8.1 Preconditions required by the Site	30
8.2 Services of the Site	30
8.2.1 Aspects of SARs	30
8.3 Security Assurance Rationale	31
8.3.1 CM capabilities (ALC_CMC.5)	31

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 5 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

8.3.2	CM scope (ALC_CMS.5)	31
8.3.3	Development Security (ALC_DVS.2)	31
8.4	Objectives Rationale	32
8.4.1	O.Physical-Access	32
8.4.2	O.Security-Control	32
8.4.3	O.Alarm-Response.....	32
8.4.4	O.Internal-Monitor	33
8.4.5	O.Staff-Engagement	33
8.4.6	O.Control-Scrap	33
8.4.7	O.Maintain_Security.....	34
8.4.8	O.Exclusive-Access.....	34
8.4.9	O.Logical-Operation	34
8.4.10	O.Config_Items.....	34
9.	References.....	35
9.1	Literature.....	35
9.2	List of Abbreviations.....	36

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 6 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

Table of Figures

Table 1 Threats and OSP - Security Objectives Rationale	20
Table 2 Rationale for dependencies	25
Table 3 Rationale for ALC_CMC.5.....	27
Table 4 Rationale for ALC_CMS.5.....	28
Table 5 Rationale for ALC_DVS.2.....	29

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 7 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

1. Document Introduction

1.1 Reference

Title: Site Security Target Lite Akquinet Hamburg

Version: 1.0

Date: 10/5/2017

Company: NXP Semiconductors

Name of site: DC Akquinet – Ulzburger Strasse 201 – 22850 Norderstedt - Germany

EAL: SARs taken from EAL6

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 8 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

2. SST Introduction

- 1 This document is based upon the Eurosmart Site Security Target Template [1] with adaptations such that it fits the site (i.e. datacenter, no production, no direct delivery to customers of the user of the site).

This Site Security Target is intended to be used by NXP Semiconductors Business Unit Security and Connectivity (BU S&C).

* Note that the site of this Site Security Target also belong to NXP BU S&C.

2.1 SST Reference

- 2 Title Site Security Target Lite Akquinet Hamburg
- 3 Version 1.0

2.2 Site Reference

- 4 The site is located at:

DC Akquinet – Ulzburger Strasse 201 – 22850 Norderstedt - Germany


2.3 Site Description

- 5 The entire Akquinet building specified in Section 2. is the physical boundary of the site.
- 6 The Akquinet building supports activities of many organisations, but only the NXP activities that take place in the NXP Cage are in the scope of this SST. Activities of other organisations **are not in scope of this SST**.
- 7 The NXP Secure Cage contains the following services:

Security-relevant services within scope: **secured remote access to servers**.

- Note that the servers will be used in relation with designing, testing, producing, shipping etc. of security-related NXP products of a Business Unit of NXP. **The secured remote access to servers is the subject of this certification.**

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 9 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A



- 8 The security-relevant system is only connected with other systems through VPN router provided by and remotely managed by the NXP Business Unit to whom the data belongs. During processing, servers can manipulate encrypted and unencrypted data. The only connection to the outside world is protected through so that no unencrypted content is leaving the Secure Cage. Only the NXP Business unit has the keys to encrypt/decrypt.
- 9 Data are stored in specialized and specific data servers. Secure data are encrypted with hard disk encryption.
- 10 All logical activities in the cage are performed remotely. Example: an NXP employee in e.g. Glasgow performs some design work on a security IC: the actual work is done in Glasgow, but logically and physically in the Cage. Administration of the servers in the secure cage are performed remotely using encrypted lines.
- 11 The only personnel with physical access to the Cage is NXP personnel or authorized subcontractors. They perform only the physical activities listed earlier. This personnel is therefore not directly involved in designing, testing, producing, shipping etc. of NXP products.
- 12 However, as the site physically hosts electronic assets of NXP Business Units, confidentiality and integrity-related threats exist to these assets on this site. It is these threats that are the main subject of this Site Certification.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 10 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

13 For smartcard products, the site activities can be related to Phases 1 to 6 of the Lifecycle Model in [5], depending on the roles that an NXP Business Unit that uses this Site has in these Phases.

14 The activities are: Security IC Embedded Software Development (Phase 1), IC Embedded Software and Testing (Phase 1), IC Design (Phase 2), IC Manufacturing (Phase 3), IC Packaging (Phase 4), Composite Product Integration (Phase 5), Personalisation (Phase 6), IC Dedicated Software and Testing (Phase 1) as defined in 'Security IC Platform Protection Profile' (PP-0035) and 'Security IC Platform Protection Profile with Augmentation Packages' (PP-0084) [5].

15 The activities (and areas where they are performed) are:

Activity	Area
Data Centre	NXP Secure cage in Akquinet Hamburg DC

16 The typical Life Cycle model for Smart Cards usually comprises the following phases:

- Development,
- Production,
- Delivery,
- Preparation,
- Operation,

17 Whereas the site under evaluation supports only the life cycle phase

- Operation (IT)

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 11 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

3. Conformance Claim

18 This SST is conformant with Common Criteria Version 3.1:

- Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and General Model; Version 3.1, Revision 4, September 2012, [2]
- Common Criteria for information Technology Security Evaluation, Part 3: Security Assurance Requirements; Version 3.1, 4, September 2012, [3]

19 For the evaluation, the following methodology will be used:

- Common Methodology for Information Security Evaluation (CEM), Evaluation Methodology; Version 3.1, 4, September 2012, [4]
- Minimum Site Security Requirement V1.1 June 2013 [10]

20 This SST is CC Part 3 conformant.

21 There are no extended components required for this SST for the Akquinet Site.

22 The evaluation of the site comprises the following assurance components:

- ALC_CMC.5,
- ALC_CMS.5,
- ALC_DVS.2,

23 The activities of the site are not directly related to designing, testing, producing, shipping etc. of secure products. Therefore this site does not claim conformance to ALC_DEL, ALC_TAT and ALC_LCD

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 12 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

4. Security Problem Definition

24 The Security Problem Definition comprises security problems derived from threats against the assets handled by the site.

25 Where necessary the items in this section have been re-worked to fit the site

4.1 Assets

26 The following section describes the assets handled at the site. All the assets are logical ones and protected into the secure cage.

Development data: The site stores electronic development data in relation to developed TOEs. Both the integrity and the confidentiality of these electronic documents must be protected.

Cryptographic keys: The site stores cryptographic keys used for NXP key usage. Both the integrity and the confidentiality of these electronic data must be protected.

Production data: The site stores electronic production data in relation to developed TOEs. Both the integrity and the confidentiality of these electronic documents must be protected.

4.2 Threats

T.Smart-Theft: An attacker tries to access sensitive areas of the site for manipulation or theft of assets (1) In this case development data (2) cryptographic keys (3) production data with the intention to violate confidentiality and possibly integrity

T.Rugged-Theft: An attacker with specialized equipment for burglary, who may be paid to perform the attack, tries to access sensitive areas and manipulate or steal assets (1) In this case development data (2) cryptographic keys (3) production data with the intention to violate confidentiality and possibly integrity

T.Computer-Net: A possibly paid hacker with substantial expertise using standard equipment attempts to remotely access sensitive network segments to get access to (1) development data (2) cryptographic keys (3) production data with the intention to violate confidentiality and possibly integrity

T.Unauthorised-Staff: Employees or subcontractors not authorized to get access to assets by violating (1) In this case development data (2) cryptographic keys (3) production data with the intention to violate confidentiality and possibly integrity

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 13 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

T.Staff-Collusion: An attacker tries to get access to assets by getting support from one employee through extortion or bribery. (1) In this case electronic files with the intention to violate confidentiality and possibly integrity

4.3 Organizational Security Policies

P.Config-Items: The configuration management system shall be able to uniquely identify configuration items. In this case the unique identification of items is solely the IT hardware used for these services

P.Config-Process: The processes provided by this site are controlled and documented. This describes the services and/or processes provided by a site.

4.4 Assumptions

A.Serv-Specification: The NXP Business Unit that is being managed must store data it wishes to keep secure on the Security-Relevant System in the Cage.

A.Secure_Conn NXP must arrange an encrypted network connection from the Security-Relevant System to its network.

The site is not intended for TOE development. Therefore the only configuration items are internal site security documents and procedures.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 14 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

5. Security Objectives

27 The Security Objectives are related to physical IT infrastructure and organizational security measures.

- O.Physical-Access: The combination of physical partitioning between the different access control levels together with technical and organisational security measures allows a sufficient separation of employees to enforce the “need to know” principle. The access control shall support the limitation for the access to these areas including the identification and rejection of unauthorised people. The access control measures ensure that only registered employees can access restricted areas. Assets are handled at least in restricted areas.
- O.Security-Control: Assigned personnel of the site operate the systems for access control. Out of hour surveillance and respond to alarms is contracted to a 3rd party security company. Technical security measures like motion sensors and similar kind of sensors support the enforcement of the access control. NXP personnel are also responsible for registering and ensuring escort of visitors, contractors and suppliers.
- O.Alarm-Response: The technical and organisational security measures ensure that an alarm is generated before an unauthorised person gets access to any asset. After the alarm is triggered the unauthorised person still has to overcome further security measures. The reaction time of the employees and/or guards is short enough to prevent a successful attack.
- O.Internal-Monitor: The site performs security management meetings at least every six months. The security management meetings are used to review security incidences, to verify that maintenance measures are applied and to reconsider the assessment of risks and security measures. Furthermore, an internal audit is performed every year to control the application of the security measures.
- O.Maintain-Security: Technical security measures are maintained regularly to ensure correct operation. The logging of sensitive systems is checked regularly. This comprises the access control system to ensure that only authorised employees have access to sensitive areas as well as computer/network systems to ensure that they are configured as required to ensure the protection of the networks and computer systems.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 15 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

- O.Control-Scrap: The site will return any scrap to NXP in this case the only possible scrap would be faulty hardware but this is only handled by NXP or authorized NXP subcontractors.
- O.Staff-Engagement: All employees who have access to assets are checked regarding security concerns and have to sign a non-disclosure agreement. Furthermore, all employees are trained and qualified for their job. All contractors and visitors must be escorted by a trained employee at all times.
- O.Config-Items: NXP has a configuration management system that assigns a unique internal identification to each equipment installed in cage and their corresponding setting to each version of the internal procedures and guidance. This help ensure P.Config_Items and P.Config_Process
- O.Logical-Operation: Development computers enforce that every user authenticates using a password and has a unique user ID.
- O.Exclusive-Access: The only way to access the Security-Relevant System from the NXP Business Unit network is through the encryption equipment provided by the NXP Business Unit¹ (and vice versa).

¹ See A.Secure_Conn

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 16 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

5.1 Security Objectives Rationale

28 The SST includes a Security Objective Rationale with two parts. The first part includes the tracing which shows how the threats and OSPs are covered by the Security Objectives. The second part includes a justification that shows that all threats and OSPs are effectively addressed by the Security Objectives (see column "Rationale" of table 1

Threat and OSP	Security Objective(s)	Rationale
T.Smart-Theft	O.Physical-Access O.Control-Scrap O.Security-Control O.Alarm-Response O.Internal-Monitor O.Maintain-Security	<p>O.Physical-Access ensures that the Secure Room is physically partitioned off, so that a burglar cannot just walk in.</p> <p>O.Control-Scrap ensures that scrap material cannot be accessed by an authorized party</p> <p>O.Security-Control ensures that an attacker will be detected when trying to reach the assets through the Secure Room</p> <p>O.Alarm-Response supports O.Physical_Access and O.Security_Control by ensuring that a response will be given to the alarm systems and that this response is quick enough to prevent access to the assets.</p> <p>O.Internal-Monitor and O.Maintain-Security ensure that the above is managed and maintained.</p> <p>Together, these objectives will therefore counter T.Smart_Theft</p>

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 17 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

T.Rugged-Theft	O.Physical-Access O.Control-Scrap O.Security-Control O.Alarm-Response O.Internal-Monitor O.Maintain-Security	<p>O.Physical-Access ensures that the Secure Room is physically partitioned off, so that a burglar cannot just walk in.</p> <p>O.Control-Scrap ensures that scrap material cannot be accessed by an authorized party</p> <p>O.Security-Control ensures that an attacker will be detected when trying to reach the assets through the Secure Room</p> <p>O.Alarm-Response supports O.Physical_Access and O.Security_Control by ensuring that a response will be given to the alarm systems and that this response is quick enough to prevent access to the assets.</p> <p>O.Internal-Monitor and O.Maintain-Security ensure that the above is managed and maintained.</p> <p>Together, these objectives will therefore counter T.Rugged_Theft</p>
----------------	---	--

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 18 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

T.Computer-Net	O.Exclusive-Access O.Logical-Operation O.Internal-Monitor O.Maintain-Security O.Control-Scrap O.Staff-Engagement O.Security-Control	<p>O.Exclusive-Access ensures that all communication between the Secure Room and the Business Unit is done through encryption equipment (provided by the Business Unit). The attacker can therefore neither:</p> <ul style="list-style-type: none"> • Listen in on or manipulate the network connection between the Secure Room and the Business Unit • Penetrate the Secure Room management stations through this connection <p>The attacker also cannot use other networks that lead into the Secure Room as O.Exclusive-Access also ensures that all such connections are not connected to the encryption equipment.</p> <p>In addition, O.Logical-Operation ensures that all computer systems used to manage the Business Unit network are kept up to date (software updates, security patches, virus and spyware protection)</p> <p>O.Internal-Monitor and O.Maintain-Security ensure that the above is managed and maintained.</p> <p>O.Control-Scrap ensures that scrap material cannot be accessed by an authorized party</p> <p>O.Staff-Engagement ensures that all staff is aware of its responsibilities (signing NDAs, and being trained).</p> <p>O.Security-Control ensures that an attacker will be detected when trying to reach the assets through the Secure Room</p> <p>Together, these objectives will therefore counter T.Computer-Net.</p>
----------------	---	---

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 19 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

T.Unauthorised-Staff	<ul style="list-style-type: none"> O.Physical-Access O.Security-Control O.Alarm-Response O.Logical-Operation O.Internal-Monitor O.Maintain-Security O.Control-Scrap O.Staff-Engagement O.Config-Items 	<p>O.Security_Control ensures that all unauthorized people who have a legitimate need to visit the Secure Room are always accompanied.</p> <p>O.Physical-Access, O.Security-Control and O.Alarm-Response ensures that the unauthorized people cannot circumvent this (see the rationale for T.Smart-Theft for more details on this)</p> <p>In addition, O.Logical-Operation ensures that all computer systems used to manage the Business Unit network are kept up to date (software updates, security patches, virus and spyware protection)</p> <p>O.Internal-Monitor and O.Maintain-Security ensure that the above is managed and maintained.</p> <p>O.Control-Scrap ensures that scrap material cannot be accessed by an authorized party</p> <p>O.Staff-Engagement ensures that all staff is aware of its responsibilities (signing NDAs, and being trained).</p> <p>O.Config-Items assigns unique numbers to the internal procedures. As the site processes no other configuration items.</p> <p>Together, these objectives will therefore counter T.Unauthorised-Staff.</p>
T.Staff-Collusion	<ul style="list-style-type: none"> O.Physical-Access O.Internal-Monitor O.Maintain-Security O.Staff-Engagement O.Control-Scrap 	<p>O.Physical-Access, ensures that the unauthorized people cannot circumvent this (see the rationale for T.Smart-Theft for more details on this)</p> <p>O.Staff-Engagement ensures that all staff is aware of its responsibilities (signing NDAs, and being trained).</p> <p>O.Internal-Monitor and O.Maintain-Security ensure that the above is managed and maintained.</p> <p>O.Control-Scrap ensures that scrap material cannot be accessed by an authorized party.</p> <p>Together, these objectives will therefore counter T.Staff-Collusion.</p>



NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 20 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

P.Config-Items	O.Config-Items O.Physical-Access	<p>The Security Objective directly enforces the OSP.</p> <p>O.Physical-Access ensures that unauthorized people cannot circumvent this (see the rationale for T.Smart-Theft for more details on this)</p> <p>O.Config-Items assigns unique numbers to the internal procedures. As the site processes no other configuration items, this is sufficient to meet P.Config-Items.</p>
P.Config-Process	O.Config-Items O.Physical-Access	<p>The Security Objective directly enforces the OSP.</p> <p>O.Physical-Access ensures that unauthorized people cannot circumvent this (see the rationale for T.Smart-Theft for more details on this)</p> <p>The services and processes provided by the site are described in the internal site procedures and guidance. O.Config-Items as are kept under CM (see the rationale above), this is sufficient to meet P.Config-Process.</p>

Table 1 Threats and OSP - Security Objectives Rationale

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 21 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

6. Extended Assurance Components Definition

29 No extended components are defined in this Site Security Target.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 22 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

7. Security Assurance Requirements

- 30 Akquinet using this Site Security Target requires a TOE evaluation up to evaluation assurance level EAL6, potentially claiming conformance with the Eurosmart Protection Profile [5].
- 31 The Security Assurance Requirements are chosen from the class ALC (Life-cycle support) as defined in [3]:
- CM capabilities (ALC_CMC.5)
 - CM scope (ALC_CMS.5)
 - Development Security (ALC_DVS.2)
- 32 Because hierarchically higher components are used in this SST the Security Assurance Requirements listed above fulfil the requirements of:
- [10] 'Minimum Site Security Requirements'
 - [5] Eurosmart Protection Profile.

7.1 Application Notes and Refinements

- 33 The description of the site certification process [6] includes specific application notes. The main item is that a product that is considered as intended TOE is not available during the evaluation. Since the term "TOE" is not applicable in the Site Security Target, the associated processes for the handling of products, or "intended TOEs" are in the scope of this Site Security Target and are described in this document. These processes are subject of the evaluation of the site.

7.1.1 CM Capabilities (ALC_CMC.5)

- 34 Refer to subsection 'Application Notes for Site Certification' in [6] 5.1 'Application Notes for ALC_CMC'.
- 35 As the scope of the configuration management system is rather limited (see section 7.1.2), the configuration management system only needs to keep a few documents under CM.
- 36 Items like wafers, dice, products, etc. are not in scope.
- 37 Items like source code and design information are considered electronic files therefore are in scope. The CM system is therefore relatively simple.
- 38 Due to the nature of the site, the refinements on ALC_CMC from [5] are not necessary, however the configuration management system of the Data Centre controlling activities will be in scope.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 23 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

7.1.2 CM Scope (ALC_CMS.5)

- 39 Refer to subsection 'Application Notes for Site Certification' in [6] 5.2 'Application Notes for ALC_CMS'.
- 40 The scope of the configuration management for a site certification process is limited to the documentation relevant for the SAR for the claimed life-cycle SAR and the configuration items handled at the site.
- 41 As this site is not directly involved with designing, testing, producing, storing or delivering the TOE, the only relevant configuration items are:
- This Site Security Target for this site
 - The CM documentation for this site
 - The Security documentation for this site
- 42 Due to the nature of the site, the refinements on ALC_CMC from [5] are not necessary, however the configuration management system of the Data Centre controlling activities will be in scope.

7.1.3 Development Security (ALC_DVS.2)

- 43 Refer to subsection 'Application Notes for Site Certification' in [6] 5.4 'Application Notes for ALC_DVS'.
- 44 As ALC_DVS is relatively broad, and the security objectives are more specific, the following refinements are applied to ensure that ALC_DVS.2 will meet the objectives:
- The combination of physical partitioning between the different access control levels together with technical and organisational security measures allows a sufficient separation of employees to enforce the "need to know" principle. The access control shall support the limitation for the access to these areas including the identification and rejection of unauthorised people.
 - Assigned personnel of the site operate the systems for access control and surveillance and respond to alarms. Technical security measures like video control, motion sensors and similar kind of sensors support the enforcement of the access control. This personnel are also responsible for registering and ensuring escort of visitors, unauthorised NXP employees, contractors and suppliers.
 - The technical and organisational security measures ensure that an alarm is generated before an unauthorised person gets access to any asset. After

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 24 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

the alarm is triggered the unauthorised person still has to overcome further security measures. The reaction time of the employees or guards is short enough to prevent a successful attack.

- The site performs security management meetings at least every six months. The security management meetings are used to review security incidences, to verify that maintenance measures are applied and to reconsider the assessment of risks and security measures. Furthermore, an internal audit is performed every year to control the application of the security measures.
- Technical security measures are maintained regularly to ensure correct operation. The logging of sensitive systems is checked regularly. This comprises the access control system to ensure that only authorised employees have access to sensitive areas as well as computer/network systems to ensure that they are configured as required to ensure the protection of the networks and computer systems.
- The only way to access the Business Unit network is through management workstations connected to the encryption equipment provided by the Business Unit². There is no internal network access to the encryption equipment.
- The computer systems in the Secure Room that are connected to the encryption equipment are kept up-to-date (software updates, security patches, virus protection, spyware protection).
- The Secure Room has measures in place to destruct sensitive documentation, erase electronic media and destroy sensitive configuration items so that they do not support an attacker.
- All employees who have access to assets are checked regarding security concerns and have to sign a non-disclosure agreement. Furthermore, all employees are trained and qualified for their job.

7.2 Security Requirements Rationale

7.2.1 Security Requirements Rationale - Dependencies

45 The dependencies for the assurance requirements are as follows:

- ALC_CMC.5: ALC_CMS.1, ALC_DVS.2, ALC_LCD.1
- ALC_CMS.5: None
- ALC_DVS.2: None

² See A.Secure_Conn.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 25 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

Assurance Family	Dependencies	Rationale
ALC_CMC.5	ALC_CMS.1 ALC_DVS.2 ALC_LCD.1	All included except ALC_LCD.1. ALC_LCD.1 is not included as it is related to development where this site is not involved in development.
ALC_CMS.5	No dependencies	N/a, no dependencies
ALC_DVS.2	No dependencies	N/a, no dependencies

Table 2 Rationale for dependencies

As there is no processing on this site the Configuration Management of the TOE is controlled on other NXP sites.

7.2.2 Security Requirements Rationale – Mapping

SAR	Security Objective	Rationale
ALC_CMC.5.1C: The CM documentation shall show that a process is in place to ensure an appropriate and consistent labeling.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.2C: The CM documentation shall describe the method used to uniquely identify the configuration items.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.3C: The CM documentation shall justify that the acceptance procedures provide for an adequate and appropriate review of changes to all configuration items.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.4C: The CM system shall uniquely identify all configuration items.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 26 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

		and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.5C: The CM system shall provide automated measures such that only authorized changes are made to the configuration items.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.6C: The CM system shall support the production of the product by automated means.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.7C: The CM system shall ensure that the person responsible for accepting a configuration item into CM is not the person who developed it.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.8C: The CM system shall clearly identify the configuration items that comprise the TSF.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.9C: The CM system shall support the audit of all changes to the TOE by automated means, including the originator, date, and time in the audit trail.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.10C: The CM system shall provide an automated means to identify all other configuration items that are affected by the change of a given configuration item.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 27 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

ALC_CMC.5.11C: The CM system shall be able to identify the version of the implementation representation from which the TOE is generated.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.12C: The CM documentation shall include a CM plan.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.13C: The CM plan shall describe how the CM system is used for the development of the TOE.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.14C: The CM plan shall describe the procedures used to accept modified or newly created configuration items as part of the TOE	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.15C: The evidence shall demonstrate that all configuration items are being maintained under the CM system.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items
ALC_CMC.5.16C: The evidence shall demonstrate that all configuration items have been and are being maintained under the CM system.	O.Config_items	O.Config-Items also states that NXP uses a configuration management system. This is included in ALC_CMC.5. Therefore ALC_CMC.5 and ALC_CMS.5 are suitable to meet O.Config-Items

Table 3 Rationale for ALC_CMC.5

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 28 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

SAR	Security Objective	Rationale
ALC_CMS.5.1C: The configuration list includes the following: the TOE itself; the evaluation evidence required by the SARs in the ST; the parts that comprise the TOE; the implementation representation; security flaws; and development tools and related information. The CM documentation shall include a CM plan.	O.Config_items	O.Config-Items also states that NXP has the internal procedures and guidance under CM. This is a subset of the CM list specified by ALC_CMS.5 (which also includes the SST).
ALC_CMS.5.2C: The configuration list shall uniquely identify the configuration items.	O.Config_items	O.Config-Items also states that NXP has the internal procedures and guidance under CM. This is a subset of the CM list specified by ALC_CMS.5 (which also includes the SST).
ALC_CMS.5.3C: For each configuration item, the configuration list shall indicate the developer/subcontractor of the item.	O.Config_items	O.Config-Items also states that NXP has the internal procedures and guidance under CM. This is a subset of the CM list specified by ALC_CMS.5 (which also includes the SST).

Table 4 Rationale for ALC_CMS.5

SAR	Security Objective	Rationale
ALC_DVS.2.1C: The development security documentation shall describe all the physical, procedural, personnel, and other security measures that are necessary to protect the confidentiality and integrity of the TOE design and	O.Physical-Access O.Security-Control O.Alarm-Response O.Internal-Monitor O.Maintain-Security O.Exclusive-Access O.Control-Scrap O.Staff-Engagement O.Logical-Operation	The security documentation (O.Physical-Access, O.Security-Control, O.Logical-Operation, O.Alarm-Response), procedural (O.Internal-Monitor, O.Maintain-Security, O.Control-Scrap), personnel (O.Staff-Engagement)

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 29 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

SAR	Security Objective	Rationale
implementation in its development environment.		and technical (O.Exclusive-Access) enforce the security on site.
ALC_DVS.2.2C: The development security documentation shall justify that the security measures provide the necessary level of protection to maintain the confidentiality and integrity of the TOE.	O.Physical-Access O.Security-Control O.Alarm-Response O.Internal-Monitor O.Maintain-Security O.Exclusive-Access O.Control-Scrap O.Staff-Engagement O.Logical-Operation	The security documentation (O.Physical-Access, O.Security-Control, O.Logical-Operation, O.Alarm-Response), procedural (O.Internal-Monitor, O.Maintain-Security, O.Control-Scrap), personnel (O.Staff-Engagement) and technical (O.Exclusive-Access), enforce the security on site
ALC_DVS.2.3C: The evidence shall justify that the security measures provide the necessary level of protection to maintain the confidentiality and integrity of the TOE.	O.Physical-Access O.Security-Control O.Alarm-Response O.Internal-Monitor O.Maintain-Security O.Exclusive-Access O.Control-Scrap O.Staff-Engagement O.Logical-Operation	The security documentation (O.Physical-Access, O.Security-Control, O.Logical-Operation, O.Alarm-Response), procedural (O.Internal-Monitor, O.Maintain-Security, O.Control-Scrap), personnel (O.Staff-Engagement) and technical (O.Exclusive-Access), enforce the security on site

Table 5 Rationale for ALC_DVS.2

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 30 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

8. Site Summary Specification

8.1 Preconditions required by the Site

46 There are two preconditions that must be fulfilled in order to make use of the Site :

- The NXP Business Unit must store data on the Security-Relevant System in the cage. Backup of this data over the network connection (see below) must be arranged by the NXP Business Unit, as the Security-Relevant System does not provide this.
- The NXP Business Unit must arrange an encrypted network connection from the Security-Relevant System to its network. This includes the provisioning of robust network encryption equipment to the Cage, key management for this equipment.

8.2 Services of the Site

47 The Cage provides provision of remote access to data that may be related to designing, testing, producing, shipping etc. of security-related NXP products of a Business Unit of NXP, such as NXP BUS&C.

8.2.1 Aspects of SARs

8.2.1.1 ALC_CMC.5 and ALC_CMS.5

48 As defined in [6], para 85-86: If the site does not provide configuration items to outside the site, nor accepts configuration items from outside the site, no information is to be provided in relation to TOEs. Configuration Management of the Configuration Items used within the site only is described in [7] and [13].

8.2.1.2 ALC_DVS.2

49 All information provided to and from the Security-Relevant System towards any other NXP sites will be encrypted and provided by the NXP Business Unit requiring services from the site (see A.Secure_Conn for details). This is described in detail in [8]. All other information is internal to the site, and does not need to be provided (para 87, [6]).

- The combination of physical partitioning between the different access control levels together with technical and organisational security measures allows a sufficient separation of employees to enforce the “need to know” principle. The access control shall support the limitation for the access to these areas including the identification and rejection of unauthorised people.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 31 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

- Assigned personnel of the site operate the systems for access control and surveillance and respond to alarms. Technical security measures like video control, motion sensors and similar kind of sensors support the enforcement of the access control. This personnel are also responsible for registering and ensuring escort of visitors, unauthorised NXP employees, contractors and suppliers.
- The technical and organisational security measures ensure that an alarm is generated before an unauthorised person gets access to any asset. After the alarm is triggered the unauthorised person still has to overcome further security measures. The reaction time of the employees or guards is short enough to prevent a successful attack.
- The site performs security management meetings at least every six months. The security management meetings are used to review security incidences, to verify that maintenance measures are applied and to reconsider the assessment of risks and security measures. Furthermore, an internal audit is performed every year to control the application of the security measures.
- Technical security measures are maintained regularly to ensure correct operation. The logging of sensitive systems is checked regularly. This comprises the access control system to ensure that only authorised employees have access to sensitive areas as well as computer/network systems to ensure that they are configured as required to ensure the protection of the networks and computer systems.
- The Cage has measures in place to erase electronic media so that they do not support an attacker.
- All employees who have access to assets are checked regarding security concerns and have to sign a non-disclosure agreement. Furthermore, all employees are trained and qualified for their job.

8.3 Security Assurance Rationale

8.3.1 CM capabilities (ALC_CMC.5)

50 Configuration Management is described in [7], [12] and [13].

51 For full detail and evidences please view Section 7.2.2

8.3.2 CM scope (ALC_CMS.5)

52 Configuration Management is described in [7], [12] and [13].

53 For full detail and evidences please view Section 7.2.2

8.3.3 Development Security (ALC_DVS.2)

54 Development Security is described in [8].

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 32 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

55 For full detail and evidences please view Section 7.2.2

8.4 Objectives Rationale

56 The following rationale provides a justification that shows that all threats and OSP are effectively addressed by the Security Objectives.

8.4.1 O.Physical-Access

The physical access is supported by O.Security-Control that includes the maintenance of the access control and the control of visitors. The physical security measures are supported by O.Alarm-Response providing an alarm system.

Thereby the threats T.Smart-Theft and T.Rugged-Theft can be prevented. The physical security measures together with the security measure provided by O.Security-Control enforce the recording of all actions. Thereby also T.Staff-Collusion and T.Unauthorized-Staff is addressed. Also addresses the OSP P.Config_Items and P.Config_Process

8.4.2 O.Security-Control

57 During off hours the guard patrol the internal of the building and the alarm system is used to monitor the site with a dedicated off site monitoring station. The CCTV system supports these measures because it is always enabled and monitored 24/7. The security control is further supported by O.Physical-Access requiring different level of access control for the access to security product during operation as well as during off-hours.

58 This addresses the threats T.Smart-Theft and T.Rugged-Theft. Supported by O.Maintain- Security and O.Physical-Access also an internal attacker triggers the security measures implemented by O.Security-Control. Therefore also the Threat T.Unauthorized-Staff and T.Computer_Net are addressed.

8.4.3 O.Alarm-Response

59 During working hours the employees monitor the alarm system. The alarm system is connected to a control center that is manned 24 hours. During off-hours additional guard patrol supports the alarm system. O.Physical-Access requires certain time to overcome the different level of access control. The response time of the guard and the physical resistance match to provide an effective alarm response.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 33 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

60 This addresses the threats T.Smart-Theft, T.Rugged-Theft and T.Unauthorised-Staff

8.4.4 O.Internal-Monitor

61 Regular security management meetings are implemented to monitor security incidences as well as changes or updates of security relevant systems and processes. This comprises of all security events, security relevant systems, CCTV and access control. Major changes of security systems and security procedures are reviewed in general management systems review meetings (2x per year). Upon introduction of a new process a formal review and release for mass production is made before being generally introduced.

62 The security relevant systems enforcing or supporting O.Physical-Access, O.Security-Control and O.Logical-Access are checked and maintained regularly by the suppliers. In addition the configuration is updated as required either by employees (for the access control system) of the supplier. Logging files are checked at least monthly for technical problems and specific maintenance requests.

63 This addresses T.Smart-Theft, T.Rugged-Theft, T.Computer-Net, T.Unauthorised-Staff and T.Staff-Collusion

8.4.5 O.Staff-Engagement

64 All employees are interviewed before hiring. They must sign an NDA and a code of conduct for the use of NXP equipment before they start working in the company. The formal training and qualification includes security relevant subjects and the principles of handling and storage of security products. The security objectives O.Physical-Access, O.Logical- Access and O.Config-Items support the engagement of the staff.

65 This addresses the threats T.Computer-Net, T.Staff-Collusion and T.Unauthorised-Staff

8.4.6 O.Control-Scrap

66 Scrap may exist in a number of forms on this site redundant hardware/movable media. Hardware scrap is returned to NXP head office for controlled secure destruction. Transport and actual destruction of security products is done under supervision of a qualified employee in collaboration with the destructor. Sensitive information and information storage media are collected internally in a safe location and destroyed in a supervised and documented process by NXP.

67 Supported by O.Physical-Access and O.Staff-engagement this addresses the threats T.Unauthorised-Staff, T.Computer-Net, T.Smart-Theft, T.Rugged-Theft and T.Staff-Collusion

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 34 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

8.4.7 O.Maintain_Security

68 The security measures are maintained regularly to ensure correct operation. The logging of sensitive systems is checked regularly. This comprises the access control system to ensure that only authorised employees have access to sensitive areas as well as computer/network systems to ensure that they are configured as required to ensure the protection of the networks and computer systems

69 These security measures are necessary to prevent the threats T.Smart-Theft, T.Rugged-Theft, T.Computer-Net, T.Unauthorised-Staff and T.Staff-Collusion.

8.4.8 O.Exclusive-Access

70 Access to the secure cage from and to the outside is using encrypted links (CISCO equipments) provided by the BUs.This addresses the threat T.Computer-Net.

8.4.9 O.Logical-Operation

71 All logical protection measures are maintained and updated as required, at least once a month. Critical items such as virus scanners are updated daily. The backup is sufficiently protected and is only accessible for the administration.

72 This addresses the threats T.Computer-Net and T.Unauthorised-Staff

8.4.10 O.Config_Items

73 All product configuration information is stored in the database on the NXP secure network. The information stored is encrypted data.

74 This is addressing the threat T.Unauthorised-Staff, and the OSP P.Config-Items and P.Config_Process.

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 35 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

9. References

9.1 Literature

- [1] "Site Security Target Template, Version 1.0, published by Eurosmart," Eurosmart, 21.06.2009.
- [2] Common Criteria, "Common Criteria for Information Technology Security Evaluations, Part 1: Introduction and General Model; Version 3.1, Revision 4," September 2012.
- [3] Common Criteria, "Common Criteria for Information Technology Security Evaluation, Part3: Security Assurance Requirements; Version 3.1, Revision 4," September 2012.
- [4] Common Criteria, "Common Methodology for Information Technology Security Evaluation (CEM), Evaluation Methodology; Version 3.1, Revision 4," September 2012.
- [5] Security IC Platform Protection Profile with augmentation Version 1.0," Eurosmart, 13.01.2014.
- [6] Common Criteria, "Supporting Document, Site Certification, Version 1.0, Revision 1, CCDB-2007-11-001," October 2007.
- [7] "BU S&C ALC-CM Common Criteria Documentation, NXPOMS-1719007347-2549".
- [8] DVS NXP Hamburg DC Akquinet
- [10] Minimum Site Security Requirement V1.1 June
- [11] Security IC Platform Protection Profile with Augmented Packages (BSI-CC-PP-0084-2014), Version 1.0, Eurosmart, 2014.
- [12] Akquinet Configuration List, Version 2.0
- [13] BU S&C Configuration and Data Management Procedure, NXPOMS-1719007347-2524

NXP Semiconductors	Site Security Target Lite Akquinet Hamburg	Published
Product Creation		10/5/2017
BU Security and Connectivity		Page 36 of 36
Doc. Identifier: NXPOMS-1719007347-3816		Old System Identifier: N/A

9.2 List of Abbreviations

CC	Common Criteria
EAL	Evaluation Assurance Level
IC	Integrated Circuit
IP	Intellectual Property
IT	Information Technology
OSP	Organizational Security Policy
PP	Protection Profile
SAR	Security Assurance Requirement
SST	Site Security Target
ST	Security Target
TOE	Target of Evaluation